

Southport 25 Centennaire Drive

25 Centennaire Drive Southport, MB R0H 1N1 **Tel:** (204) 428-6030

Web site: www.southport.ca Email: propertymanagement@southport.ca

FIRE PIT / OUTDOOR BURNING APPLIANCE REQUEST AND GUIDELINES

This form must be returned to the Southport Property Management Department

Name:		
Street Address:		
Fire Place Type:		
	Tenants must provide proof of Tenant Insurance with evidence of no less that \$1,000,000 liability prior to approval.	
•	Southport will verify placement location.	
	Fires must be under constant adult supervision.	
	The tenant is responsible for any and all damages as a result of burning including repair of landscaping upon move out.	
	Fires are not to be set in windy conditions.	
	Fire pit/place is to be store-bought manufactured enclosure with spark restrictor or completely enclosed bricked fire place with a spark restrictor covering the flame.	
	Fireplace must be kept a minimum of 3m/10 ft away from any tree, building, combustible, or property line.	
	Fire pit/place must be separated from grass and other dry vegetation by a distance of at least 40 cm (16 inches) by means of clean earth, sand, gravel, brick, stone, or concrete.	
	Do not set fire place underneath any overhead wires, clotheslines, or trees.	
	Ensure that fire extinguisher, garden hose, sand or other suitable means of extinguishment is readily available at the fire site.	
	Fire pits are not to be used to burn leaves, grass clippings, garbage, plastics, manure, dangerous goods, or Dutch elm diseased wood or the like.	
	Ashes are not to be stock piled or dumped in yard or in tree lines. Wood piles must be kept to a 1/4 chord or less - pile no higher than 2x4x2 - wood is not to be stacked against house or garage.	
•	If smoke from a fire causes unreasonable interference with the use and enjoyment of another's property,	
	the fire shall be extinguished immediately. Phone the Fire Dept at 911should a fire become uncontrollable.	
•	Southport retains the right to extinguish and remove any or all fire pits/places at their discretion at any time.	
	To be approved by Southport prior to use / burning.	
	Other questions maybe be directed to the Fire Department at 204-239-8340	
_		
Ten	Tenant Signature Date	
Lan	dlord Signature Date	
Office use only: Inspection Comments:		
CC to Tenant: \Box Update unit by address list: \Box Copy of Tenant Insurance \Box		



